# CONTENTS OF VOLUME 93

*Vol.* 93C, *No.* 1


| | | |
|---|---|---|
| **J. Lerner** | 1 | Choline transport specificity in animal cells and tissues |
| **B. D. Jimenez and L. S. Burtis** | 11 | Influence of environmental variables on the hepatic mixed-function oxidase system in bluegill sunfish, *Lepomis macrochirus* |
| **R. Williamson** | 23 | Electrophysiological evidence for cholinergic and catecholaminergic efferent transmitters in the statocyst of octopus |
| **Y. Ozoe, T. Kuboki, K. Mochida and T. Nakamura** | 29 | Actions of benzodiazepines on the housefly. 2. Penetration and internal distribution following topical application on the dorsal thoracic surface |
| **E. Gallucci. L. Barbarossa, A. Bottalico, D. Angiolillo and S. Micelli** | 33 | The effect of T-2 toxin on active sodium transport across frog skin in the presence of ADH and Amphotericin B |
| **E. Grobler, J. H. J. van Vuren and H. H. du Preez** | 37 | Routine oxygen consumption of *Tilapia sparrmanii* (Cichlidae) following acute exposure to atrazine |
| **E. Casillas and M. S. Myers** | 43 | Effect of bromobenzene and *O*-bromophenol on kidney and liver of English sole (*Parophrys vetulus*) |
| **D. W. Brewster and F. Matsumura** | 49 | Differential effect of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on adipose tissue lipoprotein lipase activity in the guinea pig, rat, hamster, rabbit, and mink |
| **J. Blanck, P. Lindström-Seppä, J. J. Ågren, O. Hänninen, H. Rein and K. Ruckpaul** | 55 | Temperature compensation of hepatic microsomal cytochrome P-450 activity in rainbow trout. I. Thermodynamic regulation during water cooling in autumn |
| **Kah Hwi Kim, T. Matsuoka, H. Takeuchi, K. Kubo and S. Deura** | 61 | Identification of four silent giant neurones on the dorsal surface of suboesophageal ganglia of an African giant snail (*Achatina fulica* Férussac) |
| **H. Nagaishi and N. Oshima** | 67 | Control of the pigment migration in melanophores in the dorsal and ventral skin of the upside-down catfish |
| **J. L. Puel, S. C. Bledsoe, Jr, R. P. Bobbin, G. Ceasar and M. Fallon** | 73 | Comparative actions of salicylate on the amphibian lateral line and guinea pig cochlea |
| **K. Doichuanngam and R. A. Thornhill** | 81 | The role of non-specific esterases in insecticide resistance to malathion in the diamondback moth *Plutella xylostella* |
| **B. Hue and T. Piek** | 87 | Irreversible presynaptic activation-induced block of transmission in the insect CNS by hemicholinium-3 and threonine-6-bradykinin |
| **E. Szubartowska, K. Gromysz-Kałkowska, E. Kaczanowska and K. Wójcik** | 91 | Testosterone as factor modifying the toxicity of Ekatin for the Pharaoh quail (*Coturnix coturnix* Pharaoh). II. Young birds |
| **J. Yamazaki, K. Matsumoto, H. Ono and H. Fukuda** | 97 | Macrolide compounds, ivermectin and milbemycin D, stimulate chloride channels sensitive to GABAergic drugs in cultured chick spinal neurons |
| **G. C. Sutter and R. A. MacArthur** | 105 | Beta-adrenergic sensitivity in juvenile American coots (*Fulica americana*): evidence of nonshivering thermogenesis? |

| | | |
|---|---|---|
| **A. A. Paparo** | 111 | The effect of salyrgan and lanthanum on the calcium-pump in the oyster *Crassostrea virginica* |
| **T. E. Audesirk** | 115 | Characterization of pre- and postsynaptic dopamine receptors in *Lymnaea* |
| **R. W. Mason and I. R. Edwards** | 121 | Acute toxicity of combinations of sodium dichromate, sodium arsenate and copper sulphate in the rat |
| **M. Anctil, J.-M. Bassot and M.-T. Nicolas** | 127 | Effects of monoamines and related drugs on the bioluminescence of scale-worm elytra (Polychaeta, Polynoidae) |
| **A. B. Ribera and W. L. Nastuk** | 137 | The actions of verapamil at the neuromuscular junction |
| **P. Walday and F. Fonnum** | 143 | Cholinergic activity in different stages of sealice (*Lepeophtheirus salmonis*) |
| **K. Nishimura, M. Omatsu, K. Murayama, H. Kitasato and T. Fujita** | 149 | Neurophysiological effects of the pyrethroid insecticides bioresmethrin and kadethrin on crayfish giant axons |
| **R. E. Thomas, S. D. Rice, M. M. Babcock and A. Moles** | 155 | Differences in hydrocarbon uptake and mixed function oxidase activity between juvenile and spawning adult coho salmon (*Oncorhynchus kisutch*) exposed to Cook Inlet crude oil |
| **D. A. Sakharov, I. Milošević and N. Salimova** | 161 | Drug-induced locomotor stereotypies in *Aplysia* |
| **T. Kumazawa, K. Adachi and K. Ando** | 167 | Concentrations of catecholamines and indoleamines in the central nervous system of Wriggle mouse Sagami |
| **M. Osada and T. Nomura** | 171 | Seasonal variations of catecholamine levels in the tissues of the Japanese oyster, *Crassostrea gigas* |
| **H. Zaporowska and W. Wasilewski** | 175 | Some selected peripheral blood and haemopoietic system indices in Wistar rats with chronic vanadium intoxication |
| **K. Funase, Xiao Ping Sun, H. Takeuchi and Y. Ariyoshi** | 181 | Two components of inhibition induced by *N*-β-phenyl-propionyl-L-tyrosine in a snail neurone |
| **H. Murakami, M. Sano, T. Tsukimura and A. Yamazaki** | 189 | Reversible inhibition of acetylcholine-induced contraction by benextramine in *Mytilus* smooth muscle |
| **Y. Ozoe, K. Fukuda, K. Mochida and T. Nakamura** | 193 | Actions of benzodiazepines on the housefly. 3. *In vitro* binding of [$^3$H]Ro5-4864 responding to GABA receptor ligands |

*Vol.* 93C, *No.* 2

| | | |
|---|---|---|
| **C. Björkman** | 201 | A comparative study on acetyl-CoA synthesising enzymes in spinal cord from cows, horses and pigs |
| **N. Oshima** | 207 | Adenosine inhibits the release of neurotransmitters from melanosome-aggregating nerves of fish |
| **J. Marty, P. Lesca, A. Jaylet, C. Ardourel and J. L. Rivière** | 213 | *In vivo* and *in vitro* metabolism of benzo(*a*)pyrene by the larva of the newt, *Pleurodeles waltl* |
| **B. M. Jenssen and M. Staurnes** | 221 | Effects of oil on eggshell conductance |
| **D. A. Fadool, P. R. Brown, J. S. Cobb and G. Kass-Simon** | 225 | HPLC analysis of lobster haemolymph over the molt cycle |
| **M. P. Cajaraville, J. A. Marigomez and E. Angulo** | 231 | A stereological survey of lysosomal structure alterations in *Littorina littorea* exposed to 1-naphthol |

| | | |
|---|---|---|
| **N. Oshima, H. Kasukawa and R. Fujii** | 239 | Control of chromatophore movements in the blue-green damselfish, *Chromis viridis* |
| **S. P. Svensson, J. O. G. Karlsson and N. Grundström** | 247 | Melanophores in isolated scales of *Labrus berggylta* (Ascanius): innervation and alpha$_2$-adrenoceptor-mediated pigment aggregation |
| **R. A. Jurenka, J. W. Neal, Jr, R. W. Howard, J. E. Oliver and G. J. Blomquist** | 253 | *In vitro* inhibition of prostaglandin H synthase by compounds from the exocrine secretions of lace bugs |
| **B. J. Cook, G. M. Holman, R. M. Wagner and R. J. Nachman** | 257 | Pharmacological actions of a new class of neuropeptides, the leucokinins I–IV, on the visceral muscles of *Leucophaea maderae* |
| **H. Takeuchi, K. Watanabe, P. Novales-Li, K. Shimamoto and Y. Ohfune** | 263 | Classification of $\beta$-hydroxy-L-glutamic acid receptors using novel conformationally fixed analogues |
| **C. Kandaswami, J. P. Rutkowski, S. Kumar and H. C. Sikka** | 269 | Comparative metabolism of benzo[*f*]quinoline by liver microsomes from brown bullheads and rats |
| **M. van Heerden and W. Oelofsen** | 275 | A comparison of norepinephrine- and ACTH-stimulated lipolysis in white and brown adipocytes of female rats |
| **K. M. Brown and J. R. Shaver** | 281 | [$^3$H]serotonin binding to blastula, gastrula, prism, and pluteus sea urchin embryo cells |
| **M. Knipper and H. Breer** | 287 | Muscarinic receptors modulating acetylcholine release from insect synaptosomes |
| **A. A. Beveridge and G. S. Taylor** | 293 | Evidence for a lower oesophageal sphincter in the guinea-pig |
| **J. J. Fernández-Ruiz, A. I. Esquifino, R. W. Steger, A. R. Bukhari and A. Bartke** | 303 | Changes in the catecholamine metabolism in the adrenal medulla of male hamsters with experimental hyperprolactinemia |
| **R. Dubbels and R. Elofsson** | 307 | *N*-acetylation of arylalkylamines (serotonin and tryptamine) in the crayfish brain |
| **D. Burton and B. Everard** | 313 | An effect of *in vivo* chromatic adaptation on melanophore *in vitro* sensitivity |
| **R. Bissoli, A. Contestabile, R. Niso and T. Szabo** | 317 | Regional levels of cholinergic, GABAergic and excitatory amino acidic transmitters in fish telencephalon |
| **A. Miralles and G. Olmos** | 321 | [$^3$H]Kainic acid binding sites in chick cerebellar membranes |
| **E. H. Jeffery, R. Noseworthy and M. G. Cherian** | 327 | Age dependent changes in metallothionein and accumulation of cadmium in horses |
| **D. Girdlestone, C. R. McCrohan and W. Winlow** | 333 | The actions of halothane on spontaneous activity, action potential shape and synaptic connections of the giant serotonin-containing neurone of *Lymnaea stagnalis* (L.) |
| **B. M. Sanborn** | 341 | Rat myometrial Na/K ATPase is increased by serum but not by isoproterenol and relaxin |
| **Y. Aoki, S. Hatakeyama, N. Kobayashi, Y. Sumi, T. Suzuki and K. T. Suzuki** | 345 | Comparison of cadmium-binding protein induction among mayfly larvae of heavy metal resistant (*Baetis thermicus*) and susceptible species (*B. yoshinensis* and *B. sahoensis*) |
| **M. Osada and T. Nomura** | 349 | Estrogen effect on the seasonal levels of catecholamines in the scallop *Patinopecten yessoensis* |

| | | |
|---|---|---|
| **J. J. Moreno, M. C. Castellote and J. Queralt** | 355 | Effects *in vitro* of copper and zinc on hepatic cytochrome P-450 activities |
| **T. Pelissier, D. Bustamante, H. Saavedra, L. Tampier, V. Vergara and C. Paeile** | 359 | New differences between the Wistar rat and *Octodon degus*, a putative laboratory animal resistant to morphine |
| **R. A. Andersen, H. L. Daae, A. Mikalsen and J. Alexander** | 367 | Occurrence of various forms of metallothionein in the rat after a short-term cadmium injection regimen |
| **K. C. Lowe, A. D. Bollands and P. D. Raven** | 377 | Effects of a novel perfluorochemical emulsion on lymphoid tissues and immunocompetence in rats: time course effects relative to immunological challenge |
| **T. Hirata, I. Kubota, N. Iwasawa, Y. Fujisawa, Y. Muneoka and M. Kobayashi** | 381 | Effects of *Mytilus* inhibitory peptides on mechanical responses of various molluscan muscles |
| **A. Viarengo, M. Pertica, L. Canesi, A. Mazzucotelli, M. Orunesu and J. M. Bouquegneau** | 389 | Purification and biochemical characterization of a lysosomal copper-rich thionein-like protein involved in metal detoxification in the digestive gland of mussels |
| **P. F. Basch and L. E. Clemens** | 397 | *Schistosoma mansoni*: reversible destruction of testes by procarbazine |
| **T. Piek and B. Hue** | 403 | Philanthotoxins, a new class of neuroactive polyamines, block nicotinic transmission in the insect CNS |
| **R. W. Mason, I. R. Edwards and L. C. Fisher** | 407 | Teratogenicity of combinations of sodium dichromate, sodium arsenate and copper sulphate in the rat |
| **L. Holden-Dye and R. J. Walker** | 413 | Further characterisation of the dopamine-inhibitory receptor in *Helix* and evidence for a noradrenaline-preferring receptor |
| **R. Heintz, M. A. Richardson, A. S. Perumal and D. E. Casey** | 421 | Lack of platelet monoamine oxidase activity in Cebus monkeys (*Cebus albifrons*) |